



BUILDING AND CODES DEPARTMENT

**350 PAGEANT LANE, SUITE 309
CLARKSVILLE, TN 37040**

PHONE
931-648-5718

FAX
931-553-5121

Montgomery County Stormwater Discharge Planning Requirements Policy:


1. All discharge structures for stormwater storage facilities shall be sized to reduce post-development discharges to no greater than pre-development discharges.
2. All outfalls from a development site shall be controlled so that the post-development discharges are equal to or less than pre-development discharges.
3. At no time shall post development hydrologic conditions exceed pre-development conditions for storm event intervals from 2 year through 100 year.
4. A 100 year frequency storm event shall be used for design and analysis of detention/retention facilities. Exemptions can be granted by the Montgomery County Building Commissioner on a case by case basis where it can be demonstrated by hydrologic/hydraulic study that the exemption will not increase downstream damage or flooding.

All development plans submitted are subject to review by an independent engineer at the developer's expense.

Montgomery County, TN. Discharge Planning Requirements Policy (Version Dated 6/19/2018) is approved for use by the Montgomery County, TN Storm Water Control and Management Program.

Policy Effective Date: 6/20/2018

Submitted by: _____ Date: 6/19/2018




John H. Doss
Montgomery County, TN
Storm Water Coordinator

Approved by: _____ Date: 6/19/2018



Rod Streeter
Montgomery County, TN
Building Commissioner

Approved by: _____ Date: 6/19/2018



Chairman,
Montgomery County, TN
Building and Codes Committee